

DS-95i

quadi⁷ent
Because connections matter.



Folder Inserter

Flexible, Intuitive and Intelligent



**BACKED BY
THE EXPERTS**
Gartner, IDC,
Forrester, and Aspire



EXPERIENCE
A rich history
of world-class
leadership



PROVEN RESULTS
97% customer
satisfaction
rate



EXPERTISE
7 trillion
personalised
experiences annually

DS-95i

1. High-Capacity Vertical Stacker

Preserves printing order and holds up to 500 finished envelopes so operators spend less time unloading.

3. Feeder Linking

Continuous operation is achieved by linking feeders. If one feeder runs empty, another one automatically takes over, allowing you to refill as needed until your job is complete.

2. Touch Screen Display

10" colour graphical interface makes DS-95i operation simple and intuitive.

4. Envelope Hopper

500-envelope capacity with on-the-fly reloading.

5. Automatic Collator

Collate and fold up to 10 pages together.



SIMPLE AND INTUITIVE

The colour touch screen and automatic job setup make DS-95i exceptionally easy to use. Simply load envelopes and documents and the DS-95i will adjust all settings automatically and even save them to the memory for instant recall.

VERSATILE AND EFFICIENT

The VersaFeeder is the ideal choice for running inserts, BRE's or even booklets up to 2.5 mm thick. This dedicated insert feeder holds up to 500 documents at a time and can be programmed to feed automatically or selectively feed on command.

SPECIFICATIONS

Processing speed	Up to 4,300 envelopes / hour
10" Colour touch screen	Standard
Automatic settings	Standard
FlexFeed multi-format feeder	Standard
Multi-sheet feeding	Standard
Cascade from all feeder	Standard
Document and insert feeders	Up to 6
Full page CIS scanner	Standard
Barcode Recognition (BCR)	Standard
Optical Mark Recognition (OMR)	Standard
Job memory	50
Manual feed	Standard
High-capacity feeder	Up to 725 sheets (9kg)
FlexFeed capacity	325
MaxiFeeder capacity	1,200 sheets (9kg)
Fold types	Letter, z-fold, single, double parallel, no fold
Document height	88mm - 355mm
Document width	129mm - 228mm
Document weight	Minimum: 60g/m ² - Maximum: 250g/m ² Maximum when folded: 170g/m ²
Envelope length	DL - C5
Envelope width	DL - C5
Maximum set thickness	2.5 mm
Accumulate before folding	Standard
Tip-to-tip sealing	Standard

Options

Closed loop mailpiece verification software	Available
Short feeders	Available
Different exits: vertical stacker, side exit	Available
Automation software	Available
VersaFeeder Insert Feeder	Available



WE'VE GOT YOU COVERED

Quadient maintains a network of offices across the country to provide local customer support and trained technicians who are ready to assist you. You can be confident that when you need knowledgeable support or expert service, the point-of-contact will be a Quadient office in your area consisting of a team of local professionals.

quadient
Because connections matter.

About Quadient®

Quadient is the driving force behind the world's most meaningful customer experiences. By focusing on Intelligent Communication Automation, Parcel Locker Solutions and Mail-Related Solutions, Quadient helps hundreds of thousands of customers worldwide simplify the connection between people and what matters. For more information about Quadient, visit quadient.com.

Quadient® and the Quadient logo are registered trademarks of Quadient group AG. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time. www.quadient.com